


BUILD-IT-YOURSELF KITS

- Flexible Connectors
- Dampers
- Weather-Resistant Louvers
- Pressure Relief Dampers

Price list 2026



The assembly-friendly patented build-it-yourself kits enable the fast and the flexible production of high quality components.

Price list

Please note our latest price list
on our homepage
www.robert-geiger.de

Contents

Item	Page
Multi-Blade Dampers	
Blades for Multi-Blade Dampers	4
Frames galvanised and stainless steel (1.4301) for Multi-Blade Dampers	5
Frames aluminium for Multi-Blade Dampers	6
Corners for Multi-Blade Dampers	6
Rubber profiles for Multi-Blade Dampers	7
Side seals for Multi-Blade Dampers	7
Plastic parts for Multi-Blade Dampers	8
Drive arms for Multi-Blade Dampers	9
Adjustment levers for Multi-Blade Dampers	10
Parts for Multi-Blade Dampers	10
Parts for Dampers with connecting rods	11
Weather-resistant louver	
Blades for Weather-resistant louver	12
Frames for Weather-resistant louver	13
Frame corners for Weather-resistant louver	13
Mounting racks for Weather-resistant louver	14
Accessories for Weather-resistant louver	15
Flexible Connectors	
Parts for Flexible Connectors	16
Pressure relief damper	
Parts for pressure relief dampers	17

Price list

Blades for Multi-Blade Dampers

Price list - index	Item Code	Item	Quantity	Unit	Price €
10100	JKSBAL100	Blade, aluminium, 100 mm x 5 m	250	m	13,00
10110	JKSBAL100GF	Blade, aluminium, 100 mm x 5 m, with slot for insertion of rubber edge seal	250	m	13,00
10120	JKSBAL100GSO	Endblade, aluminium, 100 mm x 5 m (last blade; optional)	50	m	13,00
10125	JKSBBL100GF	Blade, galvanised steel, 100 mm x 5 m with slot for insertion of rubber edge seal	200	m	7,00
10126	JKSBBL100GF-V2A	Blade, stainless steel, 100 mm x 5 m with slot for insertion of rubber edge seal	50	m	on request
10130	JKSBBL100	Blade, galvanised steel, 100 mm x 5 m	200	m	5,00
10130	JKSBBL100-800	Blade, galvanised steel, 100 mm x 5 m	800	m	on request
10140	JKSBBL100-V2A	Blade, stainless steel (1.4301), 100 mm x 5 m	50	m	on request
10200	JKSBAL165G	Blade, aluminium, 165 mm x 5 m with slot for insertion of rubber edge seal	150	m	28,00
10210	JKSBBL165	Blade, galvanised steel, 165 mm x 5 m with slot for insertion of rubber edge seal	300	m	10,40
10220	JKSBBL165-V2A	Blade, stainless steel (1.4301), 165 mm x 5 m with slot for insertion of rubber edge seal	100	m	on request
10300	JKSBAL50G	Blade, aluminium with slot for insertion of rubber edge seal, 50 mm x 5 m	200	m	6,30

Price list

Frames galvanised and stainless steel (1.4301) for Multi-Blade Dampers

Price list-index	Item Code	Item	Quantity	Unit	Price €
20100	JKSBD-C20-120	Top section, 1.25 mm profiled galvanised steel plate C-flange 20 mm, depth 120 mm, 5 m long	50	m	6,50
20110	JKSBS-C20-120	Side section, 1.25 mm profiled galvanised steel plate with hexagonal holes, hole spacing = 100 mm C-flange 20 mm, depth 120 mm, 2.5 m long	50	m	8,25
20120	JKSBD-C30-120	Top section, 1.25 mm profiled galvanised steel plate C-flange 30 mm, depth 120 mm, 5 m long	50	m	6,90
20130	JKSBS-C30-120	Side section, 1.25 mm profiled galvanised steel plate with hexagonal holes, hole spacing = 100 mm, C-flange 30 mm, depth 120 mm, 2.5 m long	50	m	8,50
20140	JKSBS175	Side section, 1.5 mm sendzimir galvanised steel plate, with hexagonal holes, spacing = 100 mm, 175 mm wide x 2500 mm long	20	pc.	22,40
20150	JKSBS175-V2A	Side section, 1.5 mm stainless steel plate (1.4301), with hexagonal holes, spacing = 100 mm, 175 mm wide x 2500 mm long	20	pc.	on request
20160	JKSBS192	Side section, 1.5 mm sendzimir galvanised steel plate, with hexagonal holes, spacing = 100 mm 192 mm wide x 2500 mm long	20	pc.	24,30
20200	JKSBS246	Side section, 1.5 mm sendzimir galvanised steel plate, with hexagonal holes, spacing = 165 mm 246 mm wide x 2500 mm long, unbent	20	pc.	28,00
20210	JKSBS252	Side section, 1.5 mm sendzimir galvanised steel plate, with hexagonal holes, spacing = 165 mm 252 mm wide x 2500 mm long, unbent	20	pc.	29,30

Price list

Frames aluminium for Multi-Blade Dampers

Price list - index	Item Code	Item	Quantity	Unit	Price €
20300	JKSBGFS5x25	Self-tapping screw, galvanised steel DUO-TAPTITE M5 x 25 mm; Torx 25; 200 pcs./pack	1	pack	28,82
20310	JKSBD120-20	Frame top section, extruded aluminium, 120 mm wide, flange 20 mm, 1.7 mm thick, 6 m long	60	m	14,20
20320	JKSBSA120-20G	Frame side section, extruded aluminium, 120 mm wide, flange 20 mm, 1.7 mm thick, 3 m long with hexagonal holes, hole spacing 100 mm	60	m	11,30
20330	JKSBSA120-20	Frame side section, extruded aluminium, 120 mm wide, flange 20 mm, 1.7 mm thick, 6 m long	60	m	9,50
20340	JKSBD120-30	Frame top section, extruded aluminium, 120 mm wide, flange 30 mm, 1.7 mm thick, 6 m long	60	m	14,70
20350	JKSBSA120-30G	Frame side section, extruded aluminium, 120 mm wide, flange 30 mm, 1.7 mm thick, 3 m long with hexagonal holes, hole spacing 100 mm	60	m	13,00
20360	JKSBSA120-30	Frame side section, extruded aluminium, 120 mm wide, flange 30 mm, 1.7 mm thick, 6 m long	60	m	12,40
20400	JKSBD65-30	Top section, aluminium for JK-A-06 G/L length = 6 m	60	m	10,90
20401	JKSBPTE24	Teflon strip 24 mm, self-adhesive for JK-A-06 G/L roll with 30 meter	60	m	2,75
20410	JKSBSA65-30G	Side section, aluminium for JK-A-06 G/L length = 3 m, with holes	60	m	9,60
20420	JKSBSA65-30	Side section, aluminium for JK-A-06 G/L length = 6 m, without holes	60	m	8,50
20500	JKSBS252-ALU	Side section, 1.5 mm aluminium with hexagonal holes, spacing = 165 mm, 252 mm wide x 2500 mm long, unbent	20	pc.	31,90

Corners for Multi-Blade Dampers

Price list - index	Item Code	Item	Quantity	Unit	Price €
20800	JKSBPW20	Corner 20 mm galvanised for C-flange	250	pc.	0,52
20801	JKS BW20	Corner 20 mm galvanised for U-flange	100	pc.	0,52
20810	JKSBPW30	Corner 30 mm galvanised for C-flange	250	pc.	0,60
20811	JKS BW30	Corner 20 mm galvanised for U-flange	100	pc.	0,60
20820	JKSBPW20-ALU	Corner 20 mm aluminium for C-flange	250	pc.	1,65
20830	JKSBPW30-ALU	Corner 30 mm aluminium for C-flange	250	pc.	1,70
20840	JKSBPW20-V2A	Corner 20 mm stainless steel (1.4301) for C-flange	100	pc.	2,50
20850	JKSBPW30-V2A	Corner 30 mm stainless steel (1.4301) for C-flange	100	pc.	2,70

Price list

Rubber profiles for Multi-Blade Dampers

Price list - index	Item Code	Item	Quantity	Unit	Price €
30110	JKSBGL06-TPE	Rubber edge seal from TPE for JK-A-06 G/L	250	m	1,95
30201	JKSBGL-TPE	Rubber edge seal from TPE for 100 mm and 165 mm blades (reduced torque), NEW	125	m	2,20
30220	JKSBGLG-TPE	Rubber edge seal from TPE for parallel-action Multi-Blade Damper JK-G-09 G and JK-G-08 G if only 2 or 3 Blades	125	m	2,40
30300	JKSBGL165S	Silicon edge seal for 165 mm blades	150	m	4,80
30310	JKSBGL165GS	Silicon edge seal for 165 mm blades if only 2 or 3 blades	50	m	5,90
30400	JKSBGA-6022	Stop seal (rubber profile) VDI 6022	100	m	4,80

Side seals for Multi-Blade Dampers

Price list - index	Item Code	Item	Quantity	Unit	Price €
30600	JKSBE10000	Side seal, unbent Stainless steel sheet (1.4301) 10000 mm long blade spacing = 50 mm	10	m	4,50
30700	JKSBSD100A	Side seal for external gear (self-adhesive, padded, with boreholes) blade spacing = 100 mm	50	m	7,40
30800	JKSBSD165	Side seal for dampers w/rods, (self-adhesive, padded, with boreholes) blade spacing = 165 mm	50	m	9,20
30810	JKSBSD165A	Side seal for external gear (self-adhesive, padded, with boreholes) blade spacing = 165 mm	50	m	9,20

Price list

Plastic parts for Multi-Blade Dampers

Price list - index	Item Code	Item	Quantity	Unit	Price €
40100	JKSBAK-500	Spindle, short, plastic	500	pc.	0,24
40100	JKSBAK-12500	Spindle, short, plastic	12.500	pc.	on request
40110	JKSBAL-500	Spindle, long, plastic	500	pc.	0,27
40110	JKSBAL-12500	Spindle, long, plastic	12.500	pc.	on request
40120	JKSBAS-500	Click-in spindle, plastic	500	pc.	0,38
40200	JKSBBS	Stopper for Drive arm 15 x 15 mm	100	pc.	0,15
40210	JKSBDS-500	Safety (tightening) bolt, 10 x 10 x 50 mm, plastic	500	pc.	0,23
40300	JKSBEK-500	Blade end cap, plastic, for 100 mm steel blades	500	pc.	0,34
40300	JKSBEK-20000	Blade end cap, plastic, for 100 mm steel blades	20.000	pc.	on request
40305	JKSBEK100GFB-500	Blade end cap, plastic, for 100 mm steel blades with slot for insertion of rubber edge seal	500	pc.	0,34
40310	JKSBEK100GF-500	Blade end cap, plastic, for 100 mm aluminium blades with slot for insertion of rubber edge seal	500	pc.	0,34
40320	JKSBEK100SO	Blade end cap, plastic, for Endblade	100	pc.	0,36
40330	JKSBEK165	Blade end cap, plastic, for 165 mm steel blades	100	pc.	1,15
40340	JKSBEK165GF	Blade end cap, plastic, for 165 mm aluminium blades	100	pc.	0,58
40360	JKSBEK165ST	Blade end cap, plastic, for 165 mm steel blades	100	pc.	0,92
40410	JKSBLB06-500	Bearing for JK-A-06 G/L , plastic	500	pc.	0,26
40430	JKSBLK06-500	Bearing closed for JK-A-06 G/L , plastic	500	pc.	0,26
40500	JKSBLL-500	Bearing, plastic, for airtight damper	500	pc.	0,30
40510	JKSBLS-500	Standard bearing, plastic	500	pc.	0,15
40510	JKSBLS-16250	Standard bearing, plastic	16.250	pc.	on request
40520	JKSBLS-G-500	Standard bearing, plastic, closed version	500	pc.	0,38
40600	JKSBSRA-TPE	Contact seal TPE white for external gear assemblies	500	pc.	0,67
40700	JKSBZA50	Gear 50 mm for JK-A-06 G/L external mounting, plastic	100	pc.	0,65
40710	JKSBZA100	Gear, external mounting, plastic, 100 mm for steel or aluminium blades	100	pc.	0,88
40710	JKSBZA100-3750	Gear, external mounting, plastic, 100 mm for steel or aluminium blades	3.750	pc.	on request
40720	JKSBZA165	Gear, external mounting, plastic, 165 mm for steel or aluminium blades	100	pc.	1,82
40730	JKSBZI100	Gear, internal mounting, plastic, 100 mm for aluminium blades	100	pc.	0,88
40730	JKSBZI100-3000	Gear, internal mounting, plastic, 100 mm for aluminium blades	3.000	pc.	on request
40740	JKSBZI100U	Universal gear, internal mounting, plastic, 100 mm for steel or aluminium blades	100	pc.	0,95
40740	JKSBZI100U-3000	Universal gear, internal mounting, plastic, 100 mm for steel or aluminium blades	3.000	pc.	on request
40750	JKSBZI165	Gear, internal mounting, plastic, 165 mm for steel blades	100	pc.	3,45

Price list

Drive arms for Multi-Blade Dampers

Price list - index	Item Code	Item	Quantity	Unit	Price €
50100	JKSBA	Drive arm, galvanised steel, 10 x 10 x 150 mm	50	pc.	1,80
50199	JKSBA15-V2A	Drive arm, stainless steel (1.4301), 15 x 15 x 200 mm	50	pc.	on request
50200	JKSBA15	Drive arm, galvanised steel, 15 x 15 x 200 mm	50	pc.	1,90
50201	JKSBL	Clip, stainless steel (1.4301) for drive arm 15 x 15 mm,	100	pc.	0,58
50202	JKSBSR15	Retaining ring 15 x 15 mm	100	pc.	0,43
50300	JKSBA8-113	Drive arm for JK-A-06 G/L, galvanised steel, 8 x 8 x 113 mm	20	pc.	9,10
50310	JKSBSA06	Spindle for JK-A-06 G/L, galvanised steel	100	pc.	1,90
50400	JKSBA15-100	Drive arm 15 x 15 x 115 mm for dampers with connecting rods, usable length 96 mm	10	pc.	6,90
50410	JKSBA15-150	Drive arm 15 x 15 x 150 mm for dampers with connecting rods, usable length 132 mm	10	pc.	8,00
50420	JKSBAEX11-150	Drive arm 11 x 11 x 150 mm for dampers with connecting rods, usable length 132 mm	10	pc.	25,70
50430	JKSBAEX12-52,5	Drive arm 12 x 12 x 52,5 mm for dampers with connecting rods, usable length 35 mm	10	pc.	19,90
50431	JKSBAEX12-150	Drive arm 12 x 12 x 150 mm for dampers with connecting rods, usable length 132 mm	10	pc.	24,80
50440	JKSBAADN14-100	Drive arm Ø 14 x 100 mm for dampers with connecting rods, usable length 82 mm	10	pc.	3,50
50441	JKSBAADN14-150	Drive arm Ø 14 x 150 mm for dampers with connecting rods, usable length 132 mm	10	pc.	3,80
50450	JKSBAEX16-52,5	Drive arm 16 x 16 x 52,5 mm for dampers with connecting rods, usable length 35 mm	10	pc.	11,10
50451	JKSBAEX16-150	Drive arm 16 x 16 x 150 mm for dampers with connecting rods, usable length 132 mm	10	pc.	12,00

Price list

Adjustment levers for Multi-Blade Dampers

Price list - index	Item Code	Item	Quantity	Unit	Price €
60100	JKSBHJ10-RG	Manual adjustment lever with locking device, for drive shaft 10 x 10 mm	10	pc.	8,80
60110	JKSBHJ14-RG	Manual adjustment lever with locking device, for drive shaft Ø 14 mm	10	pc.	8,80
60120	JKSBHJ15-RG	Manual adjustment lever with locking device, for drive shaft 15 x 15 mm	10	pc.	8,80
60130	JKSBHJ8-RG	Manual adjustment lever with locking device, for drive shaft 8 x 8 mm	10	pc.	14,70
60200	JKSBVH10-RG	Connecting lever 10 x 10 mm	10	pc.	2,80
60210	JKSBVH14-RG	Connecting lever Ø 14 mm	10	pc.	2,80
60220	JKSBVH15-RG	Connecting lever 15 x 15 mm	10	pc.	2,80

Parts for Multi-Blade Dampers

Price list - index	Item Code	Item	Quantity	Unit	Price €
60300	JKSBKG10	Ball joint M10	10	pc.	4,90
60310	JKSBKG8	Ball joint M8	10	pc.	2,10
60400	JKSBAH	Crankarm for tie rod	20	pc.	7,80
60500	JKSBD15	Spacer tube from Aluminium Ø 15 x 1,5 mm, 5 m long	50	m	2,75
60510	JKSBD12	Dowel for screws M6 for Spacer tube	50	pc.	2,50
60600	JKSBF100-RG	Tie rod 830 mm (for 100 mm blades)	10	pc.	13,40
60610	JKSBF165-RG	Tie rod 1350 mm (for 165 mm blades)	10	pc.	14,60
60700	JKSBVK	Connection jaw for damper with connection	20	pc.	7,90

Price list

Parts for Dampers with connecting rods

Price list - index	Item Code	Item	Quantity	Unit	Price €
70100	JKSBEK165VZ	End cap, die cast, galvanised for 165 mm blade	100	pc.	3,70
70110	JKSBLBG165-500	bearing, plastic, for dampers with rods for drive shaft side	500	pc.	0,22
70120	JKSBLKG165-500	bearing closely, plastic, for dampers with rods	500	pc.	0,24
70130	JKSBSL	Hexagonal bearing, sintered bronze, self-lubricating	100	pc.	2,40
70140	JKSBBHAS165	Drive lever set for damper with rod drive Includes drive shaft Ø 14 with end cap	50	pc.	9,20
70141	JKSBBHAS165-15	Drive lever set for damper with rod drive Includes drive shaft 15 x 15 mm with end cap	50	pc.	10,90
70150	JKSBBHGH165	Rod lever, die cast, for steel blades 165 mm	250	pc.	1,70
70160	JKSBDTS	Locking screw for rod lever, Unit: 200 pcs./pack	1	pack	40,00
70170	JKSBSGS165-RG	Rod section for dampers with rods	100	pc.	2,90
70180	JKSBBQG165-RG	Cross rod for dampers with rods (with 2 or 3 blades)	20	pc.	3,80
70190	JKSBBGL10-3	Sleeve bearing bushing for dampers with rods	100	pc.	0,42
70200	JKSBBGL10-3-Ex	Sleeve bearing bushing, Ø 10 x 3 mm, ELECTROCONDUCTIVE for dampers with rods	100	pc.	1,20
70210	JKSBSR10	Retaining ring Ø 10	100	pc.	0,12
70220	JKSBBVS165-RG	Connector set	50	pc.	9,00
70300	JKSBBKS	Connection-set for dampers with rods in the width	10	pc.	19,65
70400	JKSBAADS	Drive-arm-adapter-set for a later mounting of a drive arm (for dampers with rods)	10	pc.	11,65

Price list

Blades for Weather-resistant louver

Price list - index	Item Code	Item	Quantity	Unit	Price €
80100	WGSBL68	Stationary blade for louver spacing 68 mm, galvanised steel, length 5 m	300	m	2,30
80110	WGSBL82,5	Stationary blade for louver spacing 82,5 mm, galvanised steel, length 5 m	300	m	2,60
80120	WGALSBL68	Stationary blade for louver spacing 68 mm, aluminium profile, length 5 m for mounting racks and clips	300	m	3,90
80130	WGALSBL	Stationary blade for louver spacing 68 mm, aluminium profile, length 5 m	300	m	3,90
80140	WGSBL-V2A	Stationary blade for louver spacing 68 mm, stainless steel (1.4301), length 5 m	100	m	7,10
80150	WGALSBL-30	Stationary blade for louver spacing 30 mm, aluminium profile, length 5 m	300	m	1,50
80151	WGALSBL-30-ELOX	Stationary blade for louver spacing 30 mm, aluminium profile, anodised E6-EV1, length 5 m	300	m	2,45
80152	WGALSBL-30-9010	Stationary blade for louver spacing 30 mm, aluminium profile, powder-coated similar to RAL 9010 pure white (smooth/matt finish), length 5 m	300	m	2,80

Price list

Frames for Weather-resistant louver

Price list - index	Item Code	Item	Quantity	Unit	Price €
80200	WGSBRON	Frame without knobs for weather-resistant louver, galvanised steel plate, length 5 m, depth 62 mm, flange 40 mm	100	m	2,40
80201	WGSBR	Frame with knobs for weather-resistant louver, sendzimir galvanised steel, length 5 m, depth 62 mm, flange 40 mm	100	m	2,40
80210	WGSBR82,5	Frame for weather-resistant louver galvanised steel plate, length 5 m depth 85 mm, flange 50 mm	100	m	5,20
80220	WGALSB66	Frame for weather-resistant louver, aluminium profile, depth 66 mm, flange 40 mm, length 5 m for mounting racks and clips	100	m	6,90
80221	WGALSB	Frame for weather-resistant louver, aluminium profile, depth 62 mm, flange 40 mm, length 5 m	100	m	6,90
80230	WGSBRON-V2A	Frame for weather-resistant louver, stainless steel (1.4301), depth 62 mm, flange 40 mm, length 5 m	50	m	8,60
80240	WGALSB-D30	Frame for weather-resistant louver, Top section, aluminium profile, depth 56 mm, flange 30 mm, length 5 m	100	m	5,40
80241	WGALSB-D30-ELOX	Frame for weather-resistant louver, Top section, aluminium profile, anodised E6-EV1, depth 56 mm, flange 30 mm, length 5 m	100	m	7,30
80242	WGALSB-D30-9010	Frame for weather-resistant louver, Top section, aluminium profile, powder-coated similar to RAL 9010 pure white (smooth/matt finish), depth 56 mm, flange 30 mm, length 5 m	100	m	7,80
80250	WGALSB-S30	Frame for weather-resistant louver, Side section, aluminium profile, depth 56 mm, flange 30 mm, length 5 m	100	m	4,60
80251	WGALSB-S30-ELOX	Frame for weather-resistant louver, Side section, aluminium profile, anodised E6-EV1, depth 56 mm, flange 30 mm, length 5 m	100	m	5,90
80252	WGALSB-S30-9010	Frame for weather-resistant louver, Side section, aluminium profile, powder-coated similar RAL 9010 pure white (smooth/matt finish), depth 56 mm, flange 30 mm, length 5 m	100	m	6,20

Frame corners for Weather-resistant louver

Price list - index	Item Code	Item	Quantity	Unit	Price €
80300	WGSBW40	Corner, galvanised, flange 40 mm	250	pc.	0,60
80310	WGSBW50	Corner, galvanised, flange 50 mm	250	pc.	1,00
80320	WGALSBW	Corner, galvanised steel, with pre-assembled screws	250	pc.	1,50
80330	WGSBWV2A	Corner, stainless steel (1.4301), flange 40 mm	100	pc.	2,00
80340	WGALSBW-30	Corner, stainless steel (1.4301), flange 30 mm	250	pc.	0,50

Price list

Mounting racks for Weather-resistant louver

Price list - index	Item Code	Item	Quantity	Unit	Price €
80400	WGSBLS68	Mounting rack, galvanised steel, unbent, for louver spacing 68 mm, length 2.5 m	20	pc.	6,20
80401	WGSBLSG68	Mounting rack, galvanised steel, bent sheet, for louver spacing 68 mm, length 2.5 m	20	pc.	8,20
80410	WGSBLA	Notched blade support, unbent sheet, sendzimir galvanised, length 2.5 m	20	pc.	6,20
80411	WGSBLAG	Notched blade support, bent sheet, sendzimir galvanised, length 2.5 m	20	pc.	8,20
80420	WGSBLS82,5	Mounting rack, galvanised steel, unbent, for louver spacing 82.5 mm, length 2.5 m	20	pc.	7,50
80421	WGSBLSG82,5	Mounting rack, galvanised steel, bent sheet, for louver spacing 82.5 mm, length 2.5 m	20	pc.	9,50
80430	WGALSBSL68	Mounting rack, aluminium, unbent, for louver spacing 68 mm, length 2.5 m	20	pc.	9,30
80431	WGALSBSLG68	Mounting rack, aluminium, bent sheet, for louver spacing 68 mm, length 2.5 m	20	pc.	11,30
80440	WGALSBLA	Notched blade support, unbent sheet, aluminium, length 2438 mm	20	pc.	9,30
80441	WGALSBLAG	Notched blade support, bent sheet, aluminium, length 2438 mm	20	pc.	11,30
80450	WGSBLS68-V2A	Mounting rack, stainless steel (1.4301), unbent, for louver spacing 68 mm, length 2.5 m	10	pc.	14,10
80451	WGSBLSG68-V2A	Mounting rack, stainless steel (1.4301), bent sheet, for louver spacing 68 mm, length 2.5 m	10	pc.	16,10
80460	WGSBLA-V2A	Notched blade support, unbent sheet, stainless steel (1.4301), length 2.5 m	10	pc.	14,10
80461	WGSBLAG-V2A	Notched blade support, bent sheet, stainless steel (1.4301), length 2.5 m	10	pc.	16,10
80470	WGALSBLA-R30	Blade mounting support, right side plastic, length 120 mm, louver spacing 30 mm	50	pc.	0,40
80471	WGALSBLA-L30	Blade mounting support, left side plastic, length 120 mm, louver spacing 30 mm	50	pc.	0,40
80472	WGALSBLA383-R30	Blade mounting support, right side plastic, length 383 mm, louver spacing 30 mm	50	pc.	0,70
80473	WGALSBLA383-L30	Blade mounting support, left side plastic, length 383 mm, louver spacing 30 mm	50	pc.	0,70
80474	WGALSBLA-R30-9010	Blade mounting support, right side plastic, length 120 mm, louver spacing 30 mm, colour similar to RAL 9010 pure white	50	pc.	0,40
80475	WGALSBLA-L30-9010	Blade mounting support, left side plastic, length 120 mm, louver spacing 30 mm, colour similar to RAL 9010 pure white	50	pc.	0,40
80476	WGALSBLA383-R30-9010	Blade mounting support, right side plastic, length 383 mm, louver spacing 30 mm, colour similar to RAL 9010 pure white	50	pc.	0,70
80477	WGALSBLA383-L30-9010	Blade mounting support, left side plastic, length 383 mm, louver spacing 30 mm, colour similar to RAL 9010 pure white	50	pc.	0,70

05/2026

Price list

Accessories for Weather-resistant louver

Price list - index	Item Code	Item	Quantity	Unit	Price €
80500	WGSBHF	Mounting clip for stationary blade, made from stainless steel (1.4310)	100	pc.	0,15
80600	WGSBD	Spot-welded screen, galvanised, mesh 16 x 16 x 1.2 mm, 1 x 25 m roll	1	roll	260,00
80601	WGSBD1200	Spot-welded screen, galvanised, mesh 19 x 19 x 1.45 mm, 1.2 x 25 m roll	1	roll	320,00
80602	WGSBD1500	Spot-welded screen, galvanised, mesh 19 x 19 x 1.05 mm, 1.5 x 25 m roll	1	roll	335,00
80603	WGSBD-V2A-20x1	Spot-welded screen, stainless steel (1.4301), mesh 20 x 20 x 1.0 mm, 1 x 25 m	1	roll	485,00
80610	WGSBFG1200	Fly screen, galvanised, mesh 1.4 x 1.4 x 0.25 mm, 1.2 x 25 m	1	roll	225,00

Price list

Parts for Flexible Connectors

Price list - index	Item Code	Item	Quantity	Unit	Price €
90100	STSBP20	Frame, 20 mm galvanised steel, for flexible connectors P20-D	200	m	2,00
90110	STSBP30	Frame, 30 mm galvanised steel, for flexible connectors P30-D	200	m	2,40
90120	STSBP20-V2A	Frame, 20 mm stainless steel (1.4301), for flexible connectors P20-D	100	m	4,10
90130	STSBP30-V2A	Frame, 30 mm stainless steel (1.4301), for flexible connectors P30-D	100	m	5,20
90200	STSBW20	Corner, 20 mm galvanised steel, for flexible connectors P20-D	250	pc.	0,31
90210	STSBW30	Corner, 30 mm galvanised steel, for flexible connectors P30-D	250	pc.	0,58
90220	STSBW20-V2A	Corner, 20 mm stainless steel (1.4301), for flexible connectors P20-D	100	pc.	0,78
90230	STSBW30-V2A	Corner, 30 mm stainless steel (1.4301), for flexible connectors P30-D	100	pc.	1,46
90300	STSBPVCN100	PVC-Band (DIN 4102 B1) 100 mm with welding-profile	33	m	5,00
90310	STSBPVCN120	PVC-Band (DIN 4102 B1) 120 mm with welding-profile	33	m	5,30
90320	STSBPVCN150	PVC-Band (DIN 4102 B1) 150 mm with welding-profile	33	m	5,60
90330	STSBPVCN170	PVC-Band (DIN 4102 B1) 170 mm with welding-profile	33	m	5,90
90400	STSBPVCN100-44	PVC-Strip 100 mm, 44 mm wide	100	pc.	0,20
90410	STSBPVCN120-44	PVC-Strip 120 mm, 44 mm wide	100	pc.	0,21
90420	STSBPVCN150-44	PVC-Strip 150 mm, 44 mm wide	100	pc.	0,22
90430	STSBPVCN170-44	PVC-Strip 170 mm, 44 mm wide	100	pc.	0,23
90440	STSBASB	Welding tape (100 m per roll)	100	m	35,00
90500	STSBBSM	Cutting machine with modified holding-down device for PVC-Bands with welding profile	1	St.	on request
90510	STSBBM	Welding machine for PVC-Bands	1	St.	on request

Price list

Parts for pressure relief dampers

Price list - index	Item Code	Item	Quantity	Unit	Price €
100100	SJKSBL	Aluminium blade für pressure relief damper, 5 m long	200	m	4,90
100200	SJKSBAD	Stop seal for pressure relief damper	200	m	0,35
100300	SJKSBLA	Blade mounting support, plastic, 400 mm, (for 5 blades, comes with built-in blade-stop feature to prevent over-rotation)	100	pc.	2,70
100400	SJKSBGH	Rod lever for pressure relief damper	500	pc.	0,38
100410	SJKSBG	Rod connection for pressure relief damper, made from aluminium, 2,5 m long	10	pc.	12,60
100420	SJKSBVS	Screw M4x4, for rod connection	500	pc.	0,20



Technische Bauteile GmbH

Heating | Air Conditioning | Ventilation



Weiler Weg 16-18
89335 Ichenhausen
Germany



+49 (0)8223 96060-0



info@robert-geiger.de



#robertgeiger_ichenhausen



@geigerrobert



robert-geiger.de